

MATERIAL SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

Product identifier : **AUTO GLASS CLEANER**

Product Use : Automotive - Glass Cleaner

Chemical Family : Mixture.

Manufacturer part no. : GC1, GC1C

Supplier's name and address: **Radiator Specialty Co., of Canada**
 1711 Aimco Blvd.
 Mississauga, ON, Canada
 L4W 1H7

Manufacturer's name and address:
 Refer to Supplier

Information Telephone # : (905) 625-9117 (Mon. - Fri., 8 AM - 4 PM)

24 Hr. Emergency Tel # : (613) 996-6666 (CANUTEC)

SECTION 2 - HAZARDS IDENTIFICATION

Classification : WHMIS information: This product is a WHMIS Controlled Product. It meets one or more of the criteria for a controlled product provided in Part IV of the Canadian Controlled Products Regulations (CPR). WHMIS classification:
 Class A (Pressurized containers);
 Class D1A (Materials Causing Immediate and Serious Toxic Effects, Very Toxic Material);
 Class D2A (Materials Causing Other Toxic Effects, Very Toxic Material);
 Class D2B (Materials Causing Other Toxic Effects, Toxic Material).

Labelling: Phrases recommended to appear on a supplier label, can be found in Section 15.
 WHMIS symbols required on a supplier label:



Emergency Overview : Colourless aerosol spray. Fragrant odour.
 WARNING! Contents under pressure. Container may explode if heated. POISON! May be fatal if inhaled. Harmful or fatal if absorbed through the skin. Harmful if swallowed. May cause nausea, vomiting, headache and other central nervous system effects. Repeated absorption may cause disorder of central nervous system, liver, kidneys and blood. May cause respiratory irritation. Causes skin and eye irritation. Contains material which may cause cancer based on animal data.

POTENTIAL HEALTH EFFECTS:

Signs and symptoms of short-term (acute) exposure

- Inhalation* : May cause irritation to the nose, throat and upper respiratory tract. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Inhalation in very high concentrations may result in blood system effects, such as red blood cell fragility. Liver and kidney injuries may occur. May result in unconsciousness and possibly death. In extremely high concentrations, product may act as an asphyxiant and cause increased breathing and pulse rates, fatigue and unconsciousness.
- Skin* : May cause moderate to severe skin irritation. May be absorbed and cause symptoms similar to those for inhalation.
- Eyes* : May cause moderate to severe irritation.
- Ingestion* : May cause irritation to the mouth, throat and stomach. May cause nausea, vomiting, headache and other central nervous system effects. Blood disorder may occur after ingestion. Kidney injury may occur.

Effects of long-term (chronic) exposure

- : Prolonged skin contact may cause dermatitis (rash), characterized by red, dry, itching skin. Prolonged or repeated inhalation may cause kidney stones. Contains: 2-butoxyethanol. Chronic overexposure to 2-butoxyethanol may cause liver, kidney and blood damage, based on animal data. Humans are less sensitive to these effects.

Carcinogenic status : Contains material which may cause cancer, based on animal data. See TOXICOLOGICAL INFORMATION, Section 11.

Additional health hazards : See TOXICOLOGICAL INFORMATION, Section 11.

Potential environmental effects : See ECOLOGICAL INFORMATION, Section 12.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	CAS #	Wt.%
Isopropanol	67-63-0	3.00 - 7.00
2-butoxyethanol	111-76-2	1.00 - 5.00
Isobutane	75-28-5	1.00 - 5.00
Propane	74-98-6	0.10 - 1.00

SECTION 4 - FIRST AID MEASURES

- Inhalation** : Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Seek immediate medical attention/advice.
- Skin contact** : Remove/Take off immediately all contaminated clothing. In case of contact, immediately flush skin with plenty of water for at least 15 minutes. Seek immediate medical attention/advice.
- Eye contact** : Immediately flush eyes with plenty of water for at least 15 minutes. Seek immediate medical attention/advice.
- Ingestion** : Seek immediate medical attention/advice. Do not induce vomiting. Never give anything by mouth to an unconscious person.
- Notes For Physician** : Treat symptomatically.

SECTION 5 - FIRE FIGHTING MEASURES

- Fire hazards/conditions of flammability** : Not flammable under normal conditions of use. Closed containers are contained under pressure and may explode if exposed to excess heat for a prolonged period of time. Vapours are heavier than air and collect in confined and low-lying areas.
- Oxidizing properties** : None known.
- Explosion data: Sensitivity to mechanical impact / static discharge** : Will not accumulate static charge. Aerosols are sensitive to mechanical impact. Contents under pressure.
- Suitable extinguishing media** : Dry chemical, foam, carbon dioxide and water fog.
- Special fire-fighting procedures/equipment** : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Shield personnel to protect from venting or rupturing containers. Water spray may be useful in cooling equipment exposed to heat and flame.
- Hazardous combustion products** : Carbon oxides; water vapour; irritating fumes and smoke.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

- Personal precautions** : All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Keep all other personnel upwind and away from the spill/release. Restrict access to area until completion of clean-up.
- Environmental precautions** : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces.
- Spill response/cleanup** : Ventilate area of release. Remove all sources of ignition. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Notify the appropriate authorities as required.
- Prohibited materials** : None known.

SECTION 7 - HANDLING AND STORAGE

- Safe Handling procedures** : Use in a well-ventilated area. Wear suitable protective equipment during handling. Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing. Keep away from extreme heat and flame. Avoid contact with incompatible materials. Do not puncture or incinerate. Wash thoroughly after handling.
- Storage requirements** : Store in a cool, dry, well-ventilated area. Keep away from direct sunlight. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks.
- Incompatible materials** : Strong oxidizing agents; Halogenated compounds; Alkali metals; Acids; Bases.
- Special packaging materials** : Always keep in containers made of the same materials as the supply container.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

<u>Ingredients</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Isopropanol	200 ppm	400 ppm	400 ppm (980 mg/m ³)	N/Av
2-butoxyethanol	20 ppm	N/Av	50 ppm (240 mg/m ³) (skin)	N/Av
Isobutane	1000 ppm (as 'Butane, all isomers')	N/Av	N/Av	N/Av
Propane	N/Av	N/Av	1000 ppm (1800 mg/m ³)	N/Av

Ventilation and engineering measures

- : Use in a well-ventilated area. Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.

Respiratory protection

- : If the TLV is exceeded, a NIOSH/MSHA-approved respirator is advised. Advice should be sought from respiratory protection specialists.

Skin protection

- : Impervious gloves must be worn when using this product. Advice should be sought from glove suppliers.

Eye / face protection

- : Chemical splash goggles are recommended.

Other protective equipment

- : Depending on conditions of use, an impervious apron should be worn. An eyewash station and safety shower should be made available in the immediate working area.

General hygiene considerations

- : Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

- | | |
|--|---|
| Physical state : Liquid aerosol. | Appearance : Clear, colourless liquid. |
| Odour : Fragrant odour. | Odour threshold : N/Av |
| pH : 10.4 - 10.8 | |
| Boiling point : 82.5 - 170°C | Specific gravity : 0.96 - 1.0 (concentrate) |
| Melting/Freezing point : N/Av | Coefficient of water/oil distribution : N/Av |
| Vapour pressure (mmHg @ 20° C / 68° F) : 30 - 40 psig (207 - 276 kPa) | Solubility in water : Complete |
| Vapour density (Air = 1) : > 1 | Evaporation rate (n-Butyl acetate = 1) : < 1 |
| Volatile organic Compounds (VOC's) : N/Av | Volatiles (% by weight) : 99 - 100% |
| Flash point : 12°C(concentrate) | |
| Flash point Method : Not reported | Auto-ignition temperature : 245 - 399°C |

Lower flammable limit (% by vol.)	: 1.1	Upper flammable limit (% by vol.)	: 12
Flame Projection Length	: 0 cm	Flashback observed	: NO
Absolute pressure of container	: N/Av	Viscosity	: N/Av
General Information	: No additional information.		

Section 10: STABILITY AND REACTIVITY

Stability and reactivity : Stable under the recommended storage and handling conditions prescribed.

Hazardous polymerization : Hazardous polymerization does not occur.

Conditions to avoid : Avoid temperatures above 60°C, direct sunlight and contact with sources of heat. Do not use in areas without adequate ventilation.

Materials To Avoid And Incompatibility
 : Strong oxidizing agents; Halogenated compounds; Strong acids; Bases; Alkali metals. See Section 7 (Handling and Storage) for further details.

Hazardous decomposition products
 : None known, refer to hazardous combustion products in Section 5.

SECTION 11 - TOXICOLOGICAL INFORMATION

Target organs : Eyes, skin, respiratory system, digestive system, central nervous system. Blood forming system. Liver. Kidneys.

Routes of exposure : *Inhalation:* YES *Skin Absorption:* YES *Skin & Eyes:* YES *Ingestion:* YES

Irritancy : May cause severe eye irritation. May cause moderate to severe skin irritation.

Toxicological data : There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

<u>Ingredients</u>	<u>LC₅₀(4hr)</u>	<u>LD₅₀</u>	
	<u>inh, rat</u>	<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Isopropanol	17,000 ppm (41.8 mg/L)	4720 mg/kg	12,890 mg/kg
2-butoxyethanol	450 ppm (2.175 mg/L)	530 mg/kg	400 - 500 mg/kg
Isobutane	368 000 ppm (mouse)	N/Ap (gas)	N/Ap (gas)
Propane	N/Av	N/Ap (gas)	N/Ap (gas)

Carcinogenic status : Contains 2-Butoxyethanol. 2-Butoxyethanol is classified as a confirmed animal carcinogen by ACGIH (Group A3). No other components are classified as carcinogenic by IARC, ACGIH, OSHA or NTP.

Reproductive effects : Not expected to have other reproductive effects.

Teratogenicity : This product contains Isopropanol. Isopropanol is no longer considered a developmental toxin. Teratogenic / fetotoxic effects were observed in animals, however the effects were observed in the presence of maternal toxicity or at concentrations where maternal toxicity is expected to occur.

Mutagenicity : Not expected to be mutagenic in humans.

Epidemiology : Not available.

Sensitization to material : Not expected to be a skin or respiratory sensitizer.

Synergistic materials : None known or reported by the manufacturer.

other important hazards : CNS depression may result from extreme exposures.

Conditions aggravated by overexposure
 : Pre-existing eye, skin, respiratory, liver, kidney and central nervous system disorders.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity : No data is available on the product itself. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters. Contains: 2-butoxyethanol; Isopropanol.

See the following tables for individual ingredient ecotoxicity data.

Ecotoxicity data:

<u>Ingredients</u>	CAS No	Toxicity to Fish		
		LC50 / 96h	NOEC / 21 day	M Factor
Isopropanol	67-63-0	9640 mg/L (Fathead minnow)	N/Av	None.
2-butoxyethanol	111-76-2	1490 mg/L (Lepomis macrochius)	>100 mg/L (Zebra fish)	None.

<u>Ingredients</u>	CAS No	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Isopropanol	67-63-0	> 10 000 mg/L/24hr (Daphnia magna)	N/Av	None.
2-butoxyethanol	111-76-2	835 mg/L (Daphnia magna)	100 mg/L	None.


<u>Ingredients</u>	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Isopropanol	67-63-0	N/Av	N/Av	None.
2-butoxyethanol	111-76-2	911 mg/L/72hr (Green algae)	286 mg/L/72hr	None.

- Mobility** : No data is available on the product itself.
- Persistence** : No data is available on the product itself. Contains: 2-butoxyethanol; Isopropanol. 2-Butoxyethanol is considered to be readily biodegradable (OECD). Isopropanol is considered to be readily biodegradable.
- Bioaccumulation potential** : No data is available on the product itself.
- Other Adverse Environmental effects** : No data is available on the product itself.

SECTION 13 - DISPOSAL CONSIDERATIONS

- Handling for Disposal** : Handle waste according to recommendations in Section 7. Do not puncture or incinerate containers.
- Methods of Disposal** : Dispose of in accordance with federal, provincial and local hazardous waste laws.

SECTION 14: TRANSPORT INFORMATION

Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
TDG	UN1950	AEROSOLS	2.2	none	
TDG Additional information	May be shipped as LIMITED QUANTITY when transported in containers no larger than 1.0 Litre, in packages not exceeding 30 kg gross mass. Under the TDGR, refer to Section 1.17 for additional exemption information, if shipping under this exemption.				

SECTION 15 - REGULATORY INFORMATION

Labelling:

Warning! Contents under pressure. Container may explode if heated. POISON! May be fatal if inhaled. Harmful or fatal if absorbed through the skin. Harmful if swallowed. May cause nausea, vomiting, headache and other central nervous system effects. Repeated absorption may cause disorder of central nervous system, liver, kidneys and blood. May cause respiratory irritation. Causes skin and eye irritation. Contains material which may cause cancer, based on animal data.

Precautions: Use in a well-ventilated area. Wear suitable protective equipment during handling. Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing. Keep away from extreme heat and flame. Avoid contact with incompatible materials. Do not puncture or incinerate containers. Wash thoroughly after handling. Store in a cool, dry, well ventilated area, away from heat and ignition sources.

FIRST AID: If inhaled, move to fresh air. If breathing stops, provide artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. For skin contact, flush with water for at least 15 minutes, while removing contaminated clothing. For eye contact, flush with running water for at least 15 minutes. If ingested, do not induce vomiting. Never give anything by mouth to an unconscious person.
For all cases, obtain medical attention immediately.

Refer To Material Safety Data Sheet for further information.

Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.


US Federal Information:

TSCA: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

SECTION 16 - OTHER INFORMATION

Legend : ACGIH: American Conference of Governmental Industrial Hygienists
 CAS: Chemical Abstract Services
 CNS: Central Nervous System
 HSDB: Hazardous Substances Data Bank
 IARC: International Agency for Research on Cancer
 Inh: Inhalation
 LC: Lethal Concentration
 LD: Lethal Dose
 MSHA: Mine Safety and Health Administration
 N/Ap: Not Applicable
 N/Av: Not Available
 NIOSH: National Institute of Occupational Safety and Health
 NOEC: No observable effect concentration
 NTP: National Toxicology Program
 OECD: Organisation for Economic Co-operation and Development
 OSHA: Occupational Safety and Health Administration
 PEL: Permissible exposure limit
 RTECS: Registry of Toxic Effects of Chemical Substances
 STEL: Short Term Exposure Limit
 TDG: Canadian Transportation of Dangerous Goods Act & Regulations
 TLV: Threshold Limit Values
 TWA: Time Weighted Average
 WHMIS: Workplace Hazardous Materials Identification System

References : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2015.
 2. International Agency for Research on Cancer Monographs, searched 2015.
 3. Canadian Centre for Occupational Health and Safety, CCIInfoWeb databases, 2015 (Chempendium, HSDB and RTECS).
 4. Material Safety Data Sheets from manufacturer.
 5. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2015.

<p><u>Prepared for:</u> Radiator Specialty Co. of Canada 1711 Aimco Blvd. Mississauga, ON, Canada, L4W 1H7 Telephone: 905-625-9117 (Mon. - Fri., 8 AM - 4 PM) Please direct all enquiries to Radiator Specialty.</p>	
<p><u>Prepared by:</u> ICC The Compliance Center Inc. http://www.thecompliancecenter.com</p>	

DISCLAIMER OF LIABILITY

This Material Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Radiator Specialty Co. of Canada and CCOHS' Web Information Service. The information in the Material Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Radiator Specialty Co. of Canada expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process.

This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Radiator Specialty Co. of Canada.

MSDS Preparation Date (mm/dd/yyyy)

: 06/22/2007

MSDS Revision Date (mm/dd/yyyy)

: 12/22/2015

Revision No.

: 4

Revision Information

: (M)SDS sections updated:
8. EXPOSURE CONTROLS / PERSONAL PROTECTION (Exposure Limit Values);
12. ECOLOGICAL INFORMATION

END OF DOCUMENT