



# Safety Data Sheet

## REMA TIP TOP

Product #s: 5177310, 5177330, 5177354

SDS #: RTT-IND-061

Rev. # 2

Rev. Date: 2/24/2018

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** T2 Compound B

**Chemical Family:** Uncured Rubber Polymer

**Product Use:** Wear Protection & Rubber Repair

**Restrictions on Use:** Use as directed by manufacturer

**Manufacturer:** Rema Tip Top - North America  
240 Pegasus Avenue, 2nd Floor.  
Northvale, NJ 07647  
Phone: 201 256-8200

**24-Hour Emergency Phone Number:** North America: 800-424-9300 (CHEMTREC)  
International: 703-527-3887 (CHEMTREC) Collect Calls Accepted

### 2. HAZARD IDENTIFICATION

#### GHS Classifications

##### **Health Hazards**


Skin Irritation, Category 2  
Eye Irritation, Category 2  
Skin Sensitization, Category 1B

##### **Environmental Hazards**

Chronic Aquatic Toxicity, Category 2

#### **GHS-Labeling**

##### **Pictograms:**



**Signal Word: Warning!**

##### **Hazard Statements**

H315: Causes skin irritation  
H317: May cause an allergic skin reaction



# Safety Data Sheet

## REMA TIP TOP

Product #s: 5177310, 5177330, 5177354

SDS #: RTT-IND-061

Rev. # 2

Rev. Date: 2/24/2018

H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects.

### Precautionary Statements

#### Prevention:

P261: Avoid breathing dust.

P264: Wash hands and exposed parts of the body thoroughly after handling.

P273: Avoid release to the environment.

#### Response:

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321: Specific treatment found in supplemental first aid instruction of this SDS (Section 4).

P333 + P313: If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313: If eye irritation persists: Get medical advice/attention.

P363: Wash contaminated clothing before reuse.

P391: Collect spillage.

#### Storage:

P405: Store locked up

#### Disposal:

P501: Dispose of contents/container in accordance with local, regional, and federal regulations

### 3. COMPOSITION/ INFORMATION ON INGREDIENTS

#### Chemical characterization

Uncured Rubber Polymer

Component*	CAS #	% By Wt.
Zinc Oxide	1314-13-2	< 5
Zinc-bis(N-ethyl-N-phenyldithiocarbamate)	14634-93-6	< 3
Zinc-bis(dibutyldithiocarbamate)	136-23-2	< 3
N-Cyclohexyl-N-ethylamine	5459-93-8	< 3



# Safety Data Sheet

## REMA TIP TOP

Product #s: 5177310, 5177330, 5177354

SDS #: RTT-IND-061

Rev. # 2

Rev. Date: 2/24/2018

---

### Inhalation

**Symptoms & Effects:** Irritation of the nose and airways, and headache.

**Measures:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing has stopped, begin artificial respiration. If breathing is difficult, administer oxygen. If symptoms develop, seek medical attention.

### Skin Contact

**Symptoms & Effects:** Skin irritation, redness, drying, and possible allergic skin reactions.

**Measures:** Wash skin with plenty of water after uses. If skin irritation or rash occurs, seek medical advice/attention. Wash contaminated clothing before reuse.

### Eye Contact

**Symptoms & Effects:** Possible slight eye irritation

**Measures:** Rinse eyes with water for at least 15 minutes. Remove contact lenses after the initial few minutes and if easy to do so and resume rinsing. If symptoms develop, seek medical attention.

### Ingestion

**Symptoms & Effects:** Irritation of the nose and airways, headache, and respiratory sensitization.

**Measures:** Seek immediate medical attention. Place individual on their left side and place their head down. Do not leave victim unattended.

## **5. FIRE FIGHTING MEASURES**

**Suitable Extinguishing Media:** Carbon dioxide, Dry chemical, Alcohol-resistant foam, Water spray

**Unsuitable Extinguishing Media:** Full water jet

**Hazardous Combustion Products:** Hydrogen bromide, Sulfur oxides, Carbon monoxide, Carbon dioxide

**Protective Equipment for Fire-Fighters:** Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA).

**Precautions for Fire-Fighters:** This product poses a slight fire hazard. Full-face, self-contained breathing apparatus should be worn at all times. Cool storage containers with water, if exposed to fire.

## **6. ACCIDENTAL RELEASE MEASURES**

**Protective Equipment:** Recommended to wear NIOSH approved respiratory apparatus, goggles & resistant gloves and discard of gloves that show tears, pinholes, or signs of wear. Wear proper garments to prevent skin exposure, such as long-sleeves and pants.



# Safety Data Sheet

## REMA TIP TOP

Product #: 5177310, 5177330, 5177354

SDS #: RTT-IND-061

Rev. # 2

Rev. Date: 2/24/2018

**Personal Precautions:** Persons not wearing proper PPE should be excluded from the area of contamination until clean-up has been completed. Ensure adequate ventilation. Eliminate all ignition sources and pay attention to the spreading of gases, especially at ground level.

**Environmental Precautions:** Local authorities should be advised if significant waste cannot be contained.

**Methods & Materials for Clean-Up:** Only personnel equipped with proper respiratory, eye, and skin protection should be permitted in the area. After all visible traces have been removed, thoroughly wet vacuum the area. Transfer to a suitable container for disposal according to proper federal, state, and local regulations.

### 7. HANDLING AND STORAGE

**Handling:** Avoid breathing vapors or dust of this product. Skin and eye PPE should be worn at all times when handling this product. When adequate ventilation is not provided, respiratory PPE should also be used. Hands and other exposed areas should be washed thoroughly with soap and water after contact, especially before eating and/or smoking.

**Storage:** Store in a cool, dry, ventilated area, away from heat and ignition sources as well as from incompatible materials (see below).

**Incompatible Materials:** Nitrous acid, Nitrosating agents

### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### Exposure Limits :

#### Zinc Oxide

CAS # 1314-13-2

OSHA	Permissible Exposure Limit (PEL)	5 mg/m <sup>3</sup>
ACGIH	Time Weighted Average (TWA)/STEL	2 mg/m <sup>3</sup> /10 mg/m <sup>3</sup>
NIOSH	Recommended Exposure Limit (REL)	5 mg/m <sup>3</sup>

**Engineering Controls:** Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposures below permissible exposure limits. Provide readily accessible eye wash stations and safety showers.

**Occupational Exposure Controls:** Ensure adequate ventilation, especially in confined areas. Consider all potential hazards of this material, applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting PPE. Ensure that eyewash stations and safety showers are proximal to the work location. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

**Protective and Hygiene measures:** Do not inhale dust or vapors. Wash hands before breaks and immediately after handling product. When using, do not eat, drink, or smoke. In case of clothes contamination, remove and wash contaminated clothing before re-use.



# Safety Data Sheet

## REMA TIP TOP

Product #s: 5177310, 5177330, 5177354

SDS #: RTT-IND-061

Rev. # 2

Rev. Date: 2/24/2018

**Eye Protection:** Recommended to wear tight fitting, chemical splash goggles when there is potential for the exposure of the eyes to the dust. Have a suitable eye wash station or bottle nearby in case of splashing into the eyes.

**Hand Protection:** Recommended to wear suitable resistant gloves and discard of gloves that show tears, pinholes, or signs of wear. Suitable gloves will be based on product use and the period of use, and may include neoprene, butyl-rubber, nitrile rubber, etc.

**Skin Protection:** Recommended to wear impervious clothing as well as long-sleeved clothing, pants and proper foot covering in order to prevent direct skin contact with the product. If skin irritation develops, contact your facility health and safety professional or your local safety equipment supplier to determine the proper personal protective equipment for your use.

**Respiratory Protection:** A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be appropriate under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance:** Beige Solid

**Odor:** Amine like / Fishy

**Odor Threshold:** No data available

**pH:** No data available

**Melting/Freezing point:** No data available

**Boiling Point/ Range:** No data available

**Flash point (Tag closed cup):** No data available

**Evaporation rate:** No data available

**Flammability: Lower Limit:** No data available **Upper Limit:** No data available

**Vapor pressure:** No data available

**Relative vapor density:** No data available

**Density:** 1.2 g/cm<sup>3</sup>

**Solubility in water:** Insoluble

**Partition coefficient (n-octanol/water):** No data available

**Auto-ignition temperature:** No data available

**Ignition temperature:** No data available

**Decomposition temperature:** No data available

**Viscosity (dynamic):** No data available



# Safety Data Sheet

## REMA TIP TOP

Product #: 5177310, 5177330, 5177354

SDS #: RTT-IND-061

Rev. # 2

Rev. Date: 2/24/2018

### 10. STABILITY AND REACTIVITY

**Reactivity:** No decomposition if stored and applied as directed.

**Chemical Stability:** Stable under normal conditions.

**Possibility of Hazardous Reactions:** Product will not undergo hazardous polymerization or other hazardous reactions if storage and use directions are followed.

**Conditions to Avoid:** Elevated temperatures, Overheating, Incompatible materials (see below)

**Incompatible Materials:** Nitrous acid, Nitrosating agents

**Hazardous decomposition products:** Hydrogen Bromide, Sulfur oxides, Carbon monoxide, Carbon dioxide

### 11. TOXICOLOGICAL INFORMATION

**Primary Routes of Exposure:** Inhalation, Skin contact

**Symptoms Related to Physical, Chemical and Toxicological Characteristics:** Irritation of the nose and airways, headache, skin irritation, redness, drying, possible allergic skin reactions, and possible eye irritation.

**Delayed and Immediate Effects & Chronic Effects from Exposure:** This substance is not a potential carcinogen to humans as outlined by OSHA, IARC, ACGIH and the NTP (see below).

#### **Measures of Toxicity:**

Acute toxicities are calculated based on component toxicities

Mixture: Acute Oral Toxicity: LD<sub>50</sub> Rat: > 5,000 mg/kg

Acute Dermal Toxicity: LD<sub>50</sub> Rabbit: > 2,000 mg/kg

Acute Inhalation Toxicity: LC<sub>50</sub> Rat: > 20,000 ppmV

#### **Zinc Oxide**

**CAS # 1314-13-2**

Acute Oral Toxicity

LD<sub>50</sub> Mouse: 7,950 mg/kg

Acute Inhalation Toxicity

LC<sub>50</sub> Mouse: 2,500 mg/m<sup>3</sup>

#### **Carcinogen Claims:**

OSHA: **None**, International Agency for Research on Cancer (IARC): **None**

ACGIH: **None**, National Toxicology Program (NTP) Report on Carcinogens: **None**



# Safety Data Sheet

## REMA TIP TOP

Product #s: 5177310, 5177330, 5177354

SDS #: RTT-IND-061

Rev. # 2

Rev. Date: 2/24/2018

### 12. ECOLOGICAL INFORMATION

**Eco-toxicity:** This substance is toxic to aquatic organisms with long lasting effects. It is strongly advised that this substance does not enter the environment. Local authorities should be advised if significant spillages cannot be contained or if material discharges into drains or ground water.

**Zinc Oxide**

CAS # 1314-13-2

Toxicity to Fish LC<sub>50</sub> – 1.1 mg/l (Rainbow Trout; 96 h)

Toxicity to Daphnia EC<sub>50</sub> – 0.098 mg/l (Water Flea; 48 h)

**Persistence & Degradability:** No data available

**Bio-accumulative Potential:** No data available

**Mobility in Soil:** No data available

**Other Adverse Effects:** No data available

### 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with Federal, State or Local regulations.

Contaminated packaging should be emptied as far as possible before disposal.

### 14. TRANSPORT INFORMATION

**DOT SHIPPING CLASSIFICATION:**

This product is not regulated as a hazardous material for transport.

**IMDG (Marine) SHIPPING CLASSIFICATION:**

This product is not regulated as a dangerous good for transport.

**IATA (Air) SHIPPING CLASSIFICATION:**

This product is not regulated as a dangerous good for transport.

### 15. REGULATORY INFORMATION

All components of this product conform to the following national inventory requirements. US TSCA, EU EINECS and Canada DSL

**SARA Title III**

**Section 302 – Extremely Hazardous Chemicals**

The following ingredients are subject to the supplier notification requirements of Section 302 of the Superfund Amendments and Reauthorization Act (SARA/EPCRA) and the requirements of 40 CFR Part 37 *None Listed*

**Section 313 – Toxic Chemicals**



# Safety Data Sheet

## REMA TIP TOP

Product #s: 5177310, 5177330, 5177354

SDS #: RTT-IND-061

Rev. # 2

Rev. Date: 2/24/2018

The following ingredients are subject to the supplier notification requirements of Section 313 of the Superfund Amendments and Reauthorization Act (SARA/EPCRA) and the requirements of 40 CFR Part 37 *None Listed*

### OTHER FEDERAL REGULATIONS

Components of this product are subject to RCRA Hazardous Waste requirements. Clean Air Act (CAA) Hazardous Air Pollutants requirements and OSHA Process Safety Management (PSM) high hazard requirements.

### CANADIAN REGULATIONS

Same as OSHA GHS Classification

### STATE REGULATIONS

#### California Proposition 65

This product does not contain chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

The components of this product may be included on the various state hazardous materials lists noted below.

- California Hazardous Substances List/Permissible Exposure List
- California Toxic air contaminants
- Connecticut Permissible Exposure Limits
- Delaware List of Chemicals and RQs
- Hawaii Permissible Exposure Limits
- Idaho Toxic Air Pollutants
- Illinois Toxic Air Contaminants List
- Louisiana Toxic Air Pollutants
- Maine Hazardous Air Pollutants
- Maryland Toxic Air Pollutants for Existing Sources
- Massachusetts Hazardous Substances List
- Michigan Permissible Exposure Limits
- Minnesota Hazardous Substances
- Minnesota Permissible Exposure Limits
- Nebraska Hazardous Air Pollutants
- New Jersey RTK Hazardous Substances List/TCPA Extremely Hazardous Substances List
- New York List of Hazardous Substances
- Ohio Toxic Air Contaminants
- Oklahoma Toxic Air Contaminants
- North Carolina TAP Emissions Rates Requiring a Permit
- Pennsylvania Hazardous Substances List
- Rhode Island Toxic Air Contaminants
- Tennessee Permissible Exposure Limits
- Vermont Hazardous Air Contaminants/Permissible Exposure Limits
- Washington Permissible Exposure Limits for Airborne Contaminants.





# Safety Data Sheet

## REMA TIP TOP

Product #s: 5177310, 5177330, 5177354

SDS #: RTT-IND-061

Rev. # 2

Rev. Date: 2/24/2018

West Virginia Toxic Air Pollutant List  
Wisconsin hazardous Air Contaminants

**Note:** Entries under Section 15 are not intended to be all inclusive of Federal and State laws and regulations. Please consult the appropriate agencies for further clarification of any requirements.

### 16. OTHER INFORMATION

This SDS conforms to the OSHA Hazard Communication Standard 1910.1200 published in the Federal Register March 26, 2012

**MEDICAL EMERGENCIES:**

Call CHEMTREC 24 hours a  
Day for emergency information  
800-424-9300

**FOR ANY OTHER INFORMATION:**

REMA TIP TOP - NORTH AMERICA  
240 Pegasus Avenue, 2<sup>nd</sup> floor  
NORTHVALE, NJ 07647  
201-256-8200

**NOTICE:** REMA TIP TOP NORTH AMERICA believes that the information contained on this safety data sheet is accurate. The suggested procedures are based on experience as of the date of publication. They are not necessarily all-inclusive, nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of, applicable laws, regulations, rules or insurance requirements.

**NO WARRANTY IS MADE, EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE.**